





Citizens Bank Ball Park, Locker Room, Philadelphia
Kupoli series: FLH8
Photo Credit: Ewing Cole and Jeffrey Totare



When you desire the efficiencies of fluorescent or metal halide lighting with the upscale appeal of recessed downlighting, choose Kupoli, by PMC Lighting. Our comprehensive line of compact fluorescent and metal halide downlights gives you the opportunity to tailor your lighting to the unique needs of your space. With over 50 variations of downlights in our Kupoli line, we offer the lighting performance, configurations, features and options to fully integrate your lighting into the architectural design and functionality of your application.




Westin Hotel, Avon Park, CO
Kupoli series: FLV4



Kupoli's Compact Fluorescent selections offer the ideal combination of aesthetics, efficiency and performance.

Our options include:

- Multiple lamp wattages and aperture sizes — 4" / 6" / 8" / 9" / 10" / 12" to provide the appropriate scale and lumen package for your requirements.
- Round, square and rectangular trims reinforce architectural details in the space. Wallwashers and 2, 4 or 9 cell parabolic and baffled louvers offer a complete range of optics to control light distribution, glare and lamp imaging.
- 10 standard reflector finishes and 3 baffle options create a design element to complement the other finishes in the space.
- Lenses can also be integrated into your design. We offer decorative elements such as a suspended frosted glass disc for a soft glowing accent or performance lenses and shields for improved uniformity and safety.



2 Cell White Baffle



4 Cell Parabolic Louver



Center for the Visual Arts, NC
Kupoli series: FLV6




BMO, Ontario, Canada
Kupoli series: FLH6



Kupoli's metal halide selections offer the ideal combination of efficiency, performance and flexibility with all the options you need to integrate with the functionality of your space.

Our options include:

- Multiple lamp wattages and apertures sizes— 6"/8"/12" provide the appropriate scale and lumen package for your requirements.
- Round, square and rectangular trims reinforce architectural details in the space. Wallwashers and baffles offer a complete range of optics to control lighting distribution, glare and lamp imaging.
- 10 standard specular reflector finishes create a design element to complement the other finishes in the space.
- Lenses can also be integrated into your design offering improved uniformity and safety.



White Regressed Splay



Citizens Bank Ball Park, Club Level, Philadelphia
Kupoli series: FLV8
Photo Credit: Ewing Cole and Jeffrey Totare




BMO, Ontario, Canada
Kupoli series: FLH8

To order a Kupoli product, select product data from each category below. Consult specification sheets available on our website – www.pmcighting.com to confirm availability of specific combinations of features and options.


MODEL NUMBER

1 – Light Source	Aperture	2 – Lamp	3 – Reflector	4 – Glass	5 – Baffle	6 – Voltage	7 – Options
------------------	----------	----------	---------------	-----------	------------	-------------	-------------


1 – Series:




Recessed Fluorescent
Lamp Vertical



Recessed Fluorescent
Lamp Horizontal



Recessed Metal Halide
Lamp Vertical



Recessed Metal Halide
Lamp Horizontal

FLV4—4" Aperture CFL Vertical
FLV6—6" Aperture CFL Vertical
FLV8—8" Aperture CFL Vertical
FLV10—10" Aperture CFL Vertical
FLV13—13" Aperture CFL Vertical
FLH6—6" Aperture CFL Horizontal
FLH8—8" Aperture CFL Horizontal
FLH10—10" Aperture CFL Horizontal

OMH6—6" Metal Halide ED17
MHP6—6" Metal Halide Par 38
OMH8—8" Metal Halide ED17
MHP8—8" Metal Halide Par 38
MH12—12" Metal Halide ED17

Kupoli specification data:

Kupoli presents a comprehensive offering of recessed compact fluorescent and metal halide downlights. Every conceivable lamp, diffuser or mounting configuration has been considered to make this one of the deepest product lines of its kind available today.

2 – Aperture Shape: Round Aperture—Standard
SQ—Square
ADJ—Adjustable Aiming

3 – Lamping: Compact Fluorescent wattages include:
PLT/QPL: (1/2/3) 13w, (1/2/3) 18w, (1/2/3) 26w, (1/2/3) 32w, (1/2/3) 42w, (1) 57w, (1) 70w
Biax: (2/3) 16w, (2/3) 18w, (2/3) 24w, (2/3) 27w

Metal Halide lamps and wattages include:
ED17: 20w, 50w, 70w, 100w, 150w Par 38: 70w, 100w, 150w

4 – Reflectors:



5 – Diffusers: Diffuser Options:
MB—black micro baffle; WB—white micro baffle; BRB—bronze micro baffle
Painted splay for regressed lens/door—PW—White, PB—Black, PBR—Bronze
WW—internal wallwash; DWW—double wallwasher; LWW—lens wall wash trim
PB2—2 cell parabolic louver; PB4—4-cell parabolic louver; PB9—9 cell parabolic louver
O—open; P12—prismatic acrylic lens; C73—Corning 73 glass; CGS—clear glass shield;
WOA—white opal acrylic; FCA—frosted clear acrylic; LEX—clear/ P12 lexan

6 – Voltage: 120/277/347

7 – Options: DIM—Dimming, consult factory SSA—Slope ceiling adapter
GLR—Fusing TP—Tamper proof
2CIR—2 circuit wiring WL—Wet location listed
EM—Emergency, consult factory E-Z Slide (square only)
C—Contact factory for custom request EMQ—Quartz Re-strike (Metal Halide)

Construction / Materials:

Heavy gauge steel (matte black or galvanized) housing. Trims, splays, baffles, louvers and lenses as indicated.

Electrical:

Through-wired rated. Factory wired for ease of installation. Ballast accessible from below ceiling.



Labels—UL & CUL listed suitable for damp location. UL Wet available in specific units. Consult factory.

All fixtures are pre-wired and individually tested with electronic ballasts standard.



Data provided for general information. Consult product specification sheets at www.pmcighting.com for availability of specific combinations of features and options, full technical specifications and photometric data.

Sample photometry for typical Kupoli series:



To access our complete photometric data for this series, visit our website at www.pmcighting.com.



FLH-6-2/18QPL-CL
(2) 1250 Lumen Lamps



FLV-8-32PLT-CL
(1) 2400 Lumen Lamp



OMH-8-70ED17-CL
(1) 5900 Lumen Lamp